



Talissa Cera is a trailblazing brand at the intersection of design excellence and technological innovation setting new industry benchmarks for both aesthetic allure and lasting functionality.

We are redefining the ceramic landscape, harmonizing state-of-the-art technology with innovative design. As a seamless extension of a generational venture, we place a premium on delivering tiles that are a harmonious blend of sophistication and organic sensibility.

In the realm of design, we adopt a visionary stance, effortlessly integrating the classical grace of natural marble with the durability of modern stoneware. Our extensive range of finishes, from the lustrous gloss to the tactile rocker and the muted matte, offers a myriad of design possibilities for every aesthetic preference.

Our expansive product range is designed to suit any project scope. Whether you're seeking large format tiles of 1200x1200mm for grand architectural endeavors or more modest sizes like 300x600mm for intricate spaces, our portfolio has been curated to offer a limitless versatility.

At the core of our brand is a commitment to advanced technology, which powers every facet of our business - from the durability of our tiles to our responsibility towards sustainability. This tech-first approach not only sets us apart in terms of product quality but also fosters an innovative culture within our team, inspiring ongoing evolution and growth.

FEATURES



BENDING





WATER

CHEMICAL AND STAIN RESISTANT

EASY TO CLEAN IMPACT RESISTANT FROST

BRAND STORY


INFRASTRUCTURE & PRODUCTION TECHNOLOGY











TYPES OF INSTALLATION



TRADITIONAL INSTALLATION Ideal for surfaces that need to withstand vehicular traffic, traditional installation offers tried-and-true durability.



GRASS-BASED DRY INSTALLATION Lay the tiles directly onto grass to effortlessly create paths Utilizing self-leveling, adjustable, or fixed supports, this and walkways that seamlessly integrate with the natural

environment.

GRAVEL-BASED DRY INSTALLATION

This option allows for optimal rainwater drainage, making it an excellent choice for outdoor areas prone to water accumulation.

ELEVATED OUTDOOR LAYING SYSTEM

method can adapt to varying floor heights ranging from 25 to 270 mm. It accommodates structural shifts while eliminating the need for cement screed, reducing structural load. The system allows for easy water drainage through open tile joints and provides ventilation and thermal insulation thanks to the gap between the tiles and the supporting surface. This versatile option even facilitates the incorporation of utility systems and pipes, which remain easily accessible post-installation.

CARVING SURFACE

The untamed legacy of splendid artistry for your space that give graceful ambiance


MATT SURFACE

An admirable art of Ceramic give you beautifu classiness to your amazing ambiances

GLOSSY SURFACE

Create magnetic and Timeless beauty that's give the luxurious glamour look

DISCOVER ARTISTIC FINISHES



MODERN SPARK FOR EVERY SPACES

Enchant your surroundings with intricate carving effects and embrace a sleek, urban aesthetic. Offering cutting-edge installation options & transformative design possibilities, Magnifique redefines the boundaries of ceramic artistry.















RESIDENTIAL AREAS





HOSPITALS



RELIGIOUS PAGES



HOTELS & RESTAURANTS





MAGNIFIQUE MATT AVAILABLE SIZES

OUTDOOR PORCELAIN PAVERS 20MM THICKNESS | R11 SURFACE




are emerging as essential elements in modern decor. Recognizing this trend, Granoland has been established to offer a sophisticated, organic, and accessible approach to ceramic growth. As an extension of the Landgrace Group, Granoland carries a legacy of excellence in performance. Our core mission is to provide not just aesthetically pleasing tiles, but ones that are built on a robust foundation of quality and durability.

Introducing elegant designs and luxurious tile styles to elevate your refined, nature-inspired interiors. Add a touch of iconic luster to any space you inhabit.


20mm Tile Thickness: Durability Meets Versatility Experience unparalleled strength and functionality with our 20 mm porcelain slabs, the go-to solution for high-traffic commercial areas and exterior settings. These slabs are 100% frost-resistant, making them ideal for sub-zero environments. From driveways and walkways to pool surrounds and landscaping, the tiles offer enduring beauty, resistant to stains, mold, and moss.

Beyond durability, our 20 mm porcelain tiles offer remarkable adaptability. Suitable for virtually any outdoor surface, these tiles offer various installation methods to meet your specific needs. With adhesive-free techniques, you can easily disassemble, maintain, and reposition the slabs. Subsequent sections detail various laying options for different surfaces, including grass, sand, gravel, screed, and raised pedestal systems.





Gardens and public areas Jardins e espacos publicos Jardins et espaces publics Garten und offentliche anlagen Giardini e spazi pubblici



Terraces Terracos Terrasses Terrassen Terrazze



Seaside resorts Complexos e estancias balneares Complexes balneaires Badekomplexe und seebader Complessi e stabilimenti balneari



Urban areas Areas urbanas Zones urbaines Stadtische gebiete Aree urbane



Parking lots Parques de estacionamento Parkings Parkplatze Parcheggi auto



Sidewalks and pedestrian areas Calcadas, acessos e zonas pedonais Zones pietonners Burgersteige, Zugange und andere fubgangerzonen Marciapiedi, ingressi e zone pedonali



Pool surrounding areas Envolventes de piscina Contours de piscines Bereiche in der umgebung von schwimmbecken Bordi di piscine



Industrial areas Zonas industrials Zones industrielles Industriegebiete Zone industriali





FOSSIL GREY

ТҮРЕ	SHADE	TILE EDGES	C
GLAZED	V3	RECTIFIED	F
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm



FOSSIL BLACK

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			






600x1200mm

600x900mm






600x600mm

295x600mm









800x800mm



FOSSIL CREMA

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			





600x1200mm

600x900mm



600x600mm

295x600mm









800x800mm





MOUNTAIN WHITE

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



MOUNTAIN BLACK

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm







295x295mm



MOUNTAIN CHOCOLATE

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



MOUNTAIN CARMINE

ТҮРЕ	SHADE	TILE EDGES	D
GLAZED	V3	RECTIFIED	R
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



COSMOS IVORY

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAN
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm












800x800mm



LIMESTONE CREMA

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			






600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm



LIMESTONE GREY

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



LIMESTONE BLACK

TYPE	SHADE	TILE EDGES	D
GLAZED	V3	RECTIFIED	R
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm











295x295mm



LIMESTONE SKY

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm







295x295mm



EARTHCORE GREY


ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



EARTHCORE BEIGE

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm





AFRICAN SLATE

ТҮРЕ	SHADE
GLAZED	V3
PORCELAIN	
TILES	

TILE EDGES RECTIFIED





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



COPPER SLATE

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm










800x800mm



BLACK SLATE

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAN
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



GREY SLATE

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm





295x600mm











800x800mm





QUARTZ WHITE



600x1200mm

600x900mm





600x600mm

295x600mm



800x800mm



QUARTZ LIGHT GREY

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



QUARTZ DARK GREY

TYPE	SHADE	TILE EDGES
GLAZED	V3	RECTIFIED
PORCELAIN		
TILES		





600x1200mm

600x900mm





600x600mm

295x600mm










295x295mm



QUARTZITE WHITE

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



QUARTZ SKY

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAN
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



KANDLA GREY


TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



BLUE STONE LIGHT GREY


TYPE	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm



BLUE STONE DARK GREY

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm










295x295mm




NATURAL BELGIUM SKY


ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAN
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



NATURAL BELGIUM STONE GREY

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm



600x600mm

295x600mm










800x800mm





NATURAL BELGIUM STONE DARK

ТҮРЕ	SHADE	TILE EDGES
GLAZED	V3	RECTIFIED
PORCELAIN		
TILES		



600x1200mm

600x900mm



600x600mm

295x600mm













295x295mm



COUNTRY SILVER

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm



COUNTRY NERO

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm










295x295mm



COUNTRY ANTHRECITE

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



COUNTRY BEIGE

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAN
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm



BLACK MUSTANG

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



GREY MUSTANG

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



RIVERSIDE MOCHA

ТҮРЕ	SHADE	TILE EDGES	DES
GLAZED PORCELAIN	V3	RECTIFIED	RAN
TILES			



600x1200mm

600x900mm





295x600mm









800x800mm





RIVERSIDE PEARL

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			






600x1200mm

600x900mm





600x600mm

295x600mm










800x800mm




RIVERSIDE GREY

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm



600x600mm

295x600mm









800x800mm





BASALTINO


TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



SOLENHOFEN

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			






600x1200mm

600x900mm





600x600mm

295x600mm







800x800mm



RAVENNA

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm











295x295mm






BACK GREY

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm











800x800mm



DURBUY GRIS


ТҮРЕ	SHADE	TILE EDGES	D
GLAZED	V3	RECTIFIED	R
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm










800x800mm



IBIZA GREY

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





295x600mm









800x800mm





90603

ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm



600x600mm

295x600mm











295x295mm



90654

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm










295x295mm



RAINBOW STONE

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm


295x600mm







800x800mm



RESIN BLACK

TYPE	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAN
PORCELAIN			
TILES			






600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



904223

TYPE	SHADE	TILE EDGES
GLAZED	V3	RECTIFIED
PORCELAIN		
TILES		





600x1200mm

600x900mm





600x600mm

295x600mm







800x800mm



BLACK ANTHRECITE


ТҮРЕ	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



BARCELONA ANTHRECITE

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm










295x295mm



BARCELONA GREY


TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			



600x1200mm

600x900mm





600x600mm

295x600mm











295x295mm




INK 40

TYPE	SHADE	TILE EDGES	D
GLAZED	V3	RECTIFIED	R
PORCELAIN			
TILES			



600x1200mm

600x900mm



600x600mm

295x600mm









800x800mm





MANCHESTER SCHWARZ

TYPE	SHADE	TILE EDGES	DES
GLAZED	V3	RECTIFIED	RAI
PORCELAIN			
TILES			






600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



MANCHESTER GRAU

ТҮРЕ	SHADE	TILE EDGES	[
GLAZED	V3	RECTIFIED	F
PORCELAIN			
TILES			






600x1200mm

600x900mm





600x600mm

295x600mm









295x295mm



NEW YORK LIGHT GREY

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm





PALAVAN STONE

TYPE	SHADE	TILE EDGES	DE
GLAZED	V3	RECTIFIED	RA
PORCELAIN			
TILES			





600x1200mm

600x900mm





600x600mm

295x600mm









800x800mm



TECHNICAL SPECIFICATION

NOMINAL SIZE : 60X60CM THICKNESS : 20.0MM **TYPE OF PRODUCT** : OUTDOOR TILE (HEAVY DUTY) NATURE OF SURFACE : FULL-BODY R11 **REF.STANDARD** : INTERNATIONAL STANDARD ISO 13006:2015 GROUP B I_a

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	SPECIFICATION FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.4MM)
THICKNESS	BS EN ISO 10545-2	±5%	±4.0%(0.8MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
SURFACE FLATNESS :CENTARE CURVATURE	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
SURFACE FLATNESS :EDGE CURVATURE	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
SURFACE FLATNESS :WARPAGE	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.1%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 4500 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM ²	≥ 36 N/MM ²
RESISTANCE OF SURFACE ABRASION	BS EN ISO 10545-7	MANUFACTURE TO STATE ABRASION CLASS	PEI CLASS -V
COEFFICIENT OF LINER THERMAL EXPANSION	BS EN ISO 10545-8	9 X 10 ⁻⁶ K ⁻¹ MAX	$\leq 4 \times 10^{-6} K^{-1} MAX$
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	10 CYCLES
CRAZING RESISTANCE	BS EN ISO 10545-11	MINI 4 CYCLES AT (750 ±20)Kpa BAR	4 CYCLES PASS
RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SLATS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

NOMINAL SIZE : 60X90CM THICKNESS : 20.0MM **TYPE OF PRODUCT** : OUTDOOR TILE (HEAVY DUTY) NATURE OF SURFACE : FULL-BODY R11 **REF.STANDARD** : INTERNATIONAL STANDARD ISO 13006:2015 GROUP B *I*_a

TEST DESCRIPTION	STANDARD TEST METHOD	STANDARD REQUIREMENTS	SPECIFICATION FOR PRODUCTION
LENGH	BS EN ISO 10545-2	±0.60%	±0.07% (±0.4MM)
WIDTH	BS EN ISO 10545-2	±0.60%	±0.07%(±0.6MM)
THICKNESS	BS EN ISO 10545-2	±5%	±4.0%(0.8MM)
STRAIGHTNESS OF SIDES	BS EN ISO 10545-2	±0.5%	±0.06%(±0.4MM)
RECTANGULARITY	BS EN ISO 10545-2	±0.5%	±0.12%
SURFACE FLATNESS :CENTARE CURVATURE	BS EN ISO 10545-2	±0.5%	±0.15%(+1.0MM) ±0.07%(-0.5 MM)
SURFACE FLATNESS :EDGE CURVATURE	BS EN ISO 10545-2	±0.5%	+0.17% (+1.0MM) +0.08%(+0.5MM)
SURFACE FLATNESS :WARPAGE	BS EN ISO 10545-2	±0.5%	-0.15%(1.0MM) -0.07%(-0.5 MM)
WATER ABSORPTION	BS EN ISO 10545-3	E ≤ 0.5%	E ≤ 0.1%
BREAKING STRENGTH	BS EN ISO 10545-4	≥ 1300 N	≥ 4500 N
MODULUS OF RUPTURE	BS EN ISO 10545-4	≥ 35 N/MM ²	≥ 35 N/MM ²
RESISTANCE OF SURFACE ABRASION	BS EN ISO 10545-7	MANUFACTURE TO STATE ABRASION CLASS	PEI CLASS -V
COEFFICIENT OF LINER THERMAL EXPANSION	BS EN ISO 10545-8	9 X 10 ⁻⁶ K ⁻¹ MAX	$\leq 4 \times 10^{-6} K^{-1} MAX$
RESISTANCE THERMAL SHOCK	BS EN ISO 10545-9	MINI 10 CYCLES	10 CYCLES
CRAZING RESISTANCE	BS EN ISO 10545-11	MINI 4 CYCLES AT (750 ±20)Kpa BAR	4 CYCLES PASS
RESISTANCE TO HOUSE HOLD CHEMICALS & SWIMMING POOL SLATS	BS EN ISO 10545-13	MINIMUM CLASS GC	CLASS GA
RESISTANCE TO LOW CONCENTRATIONS ACIDS & ALKALIS	BS EN ISO 10545-13	MINIMUM CLASS GLC	CLASS GLA
RESISTANCE TO STAINS	BS EN ISO 10545-14	MINIMUM CLASS 3	CLASS 4

admin@talissacera.com www.talissacera.com 1st Floor, Devidayal Estate, Reay Road, Mumbai - 400010, India